

Introduzione al software Nvivo: teoria e coding

prof.ssa Selena Grimaldi

La Grounded Theory

- L'approccio della *grounded theory* (*to ground*: trattenere a terra) si scopre attraverso l'analisi dei dati empirici: **la teoria non precede la ricerca** ma ne scaturisce grazie all'osservazione ed all'analisi dei significati dei dati empirici.
- La dimensione teorica nasce dallo stesso terreno (*ground*) di ricerca e dai dati che ne provengono, i quali fungono da base per il ragionamento teorico.
- **Le procedure di codifica dei dati**, cioè i processi di analisi, sono di tipo **comparativo e generativo**: ai dati vengono attribuite delle "etichette" che rappresentano i concetti individuati sulla base delle loro stesse caratteristiche, mentre le affinità tra i dati danno luogo alle categorie, ossia raggruppamenti più astratti di concetti.

Ricerca positivista vs. Ricerca nella Grounded Theory

Ricerca nella tradizione positivista



Ricerca nella Grounded Theory


Gli step della Ricerca

- Attraverso la grounded theory si parte dai dati raccolti per giungere a delle considerazioni di carattere generale
- 1. Creazione di concetti e costruzione di una griglia di categorie (gruppi di concetti)
 - Raccolta dei dati (discorsi, interviste, articoli ecc)
 - Analisi
 - Formulazione delle ipotesi
 - Elaborazione di nuove categorie
 - Eventuale ritorno alla raccolta dei dati
 - Analisi dei dati
 - Interpretazione dei risultati

“cronaca sincera della ricerca” (Merton, 2001)

- 2. Termine della raccolta di nuovi contributi secondo il principio di saturazione;

Approccio alla Ricerca



Tecniche qualitative vs. tecniche quantitative

Analisi qualitativa dei dati assistita da Computer CAQDAS	Analisi statistica dei dati testuali
Semi-automatico o Manuale	Automatico
Lettura diretta dei testi da analizzare	Non necessita lettura diretta dei testi
Facilita la lettura e l'interpretazione dei testi	Confronto dei profili lessicali
Interpretazione delle dinamiche e dei processi	Classificazione dei contenuti e dei valori semantici
Comprensione	Spiegazione
Approccio qualitativo	Approccio quantitativo

La ricerca attraverso l'uso della tecnologia

- L'analisi dei dati qualitativi attraverso l'uso di software di analisi testuale ha dei vantaggi:
 - ✓ **Velocità nella gestione e consultazione di grandi quantità di dati**, offrendo la possibilità al ricercatore di esplorare numerose questioni analitiche;
 - ✓ **Sistematizzazione della documentazione** e del conteggio dei fenomeni;
 - ✓ **Agevolazione nello sviluppo di schemi di classificazione** coerenti;
 - ✓ **Aiuto nelle decisioni nella prospettiva dello sviluppo della teoria**

Il software Nvivo

- Nvivo è un software realizzato da Richards nel 1999 ed è molto utilizzato in particolare dalla teoria della ***Grounded Theory*** di **Glaser e Strauss** (1967).
- Secondo questo approccio il ricercatore dovrebbe iniziare la ricerca **senza produrre ipotesi di lavoro**, per evitare che teorie o conoscenze pregresse sull'argomento influenzino l'interpretazione dei dati raccolti.
- Affinché il risultato della ricerca abbia una valenza scientifica, deve essere in grado di produrre un sapere controllabile, ottenuto mediante **procedure chiare ed esplicite**. Per tale ragione è meglio avere riferimenti guida per orientare la ricerca e organizzare i dati, per non interpretare i risultati in modo arbitrario.
- **Nvivo consente di cogliere i significati, esplorare i link, rielaborare le idee, gestire agevolmente ingenti quantità di dati.**

Riquadro della navigazione

Menù delle Funzioni

The screenshot shows the NVivo software interface. On the left is a dark blue navigation pane with sections: Quick Access, Data (Files, File Classifications, Externals), ORGANIZE (Coding, Sentiment, Relationships, Relationship Types), Cases (Cases, Case Classifications), Notes (Memos, Framework Matrices, Annotations, See-Also Links), Sets, EXPLORE (Queries, Query Criteria, Query Results). A red box labeled 'Riquadro della navigazione' points to this pane. At the top is a menu bar with File, Home, Import, Create, Explore, Share, Modules, and Code. Below it is a ribbon with various tools like Memo Link, See-Also Link, Content, Quick Coding, Layout, Annotations, See-Also Links, Relationships, Coding Stripes, Highlight, Code, Uncode From This Code, Spread Coding, Code In Vivo, Autocode, Uncode, New Annotation, Word Cloud, Compare With, Explore Diagram, Query This Code, and Find Code. A red box labeled 'Menù delle Funzioni' points to the 'Code' tab in the ribbon. The main workspace is divided into three panes. The left pane shows a 'Codes' list with a tree structure: Agriculture (2 files, 2 references), Culture (31 files, 48 references), digitalizatio (8 files, 8 references), disabilities (13 files, 13 references), Economy an (104 files, 399 references), Education (52 files, 81 references), Elderly (29 files, 38 references), Environmen (51 files, 89 references), Family, child (70 files, 190 references), Health (43 files, 62 references), Institutional (26 files, 49 references), Justice (20 files, 28 references), Labour (85 files, 225 references), Local Gover (33 files, 45 references), Migration (49 files, 88 references), policy refor (32 files, 48 references), Public Admi (13 files, 14 references), Scientific Re (55 files, 77 references), Security and (84 files, 164 references), territorial pe (25 files, 42 references), Tourism (4 files, 4 references), Welfare, Soc (72 files, 141 references), and Women and (29 files, 38 references). The middle pane shows a text excerpt from 'Cavaco_NY_2009' with several lines highlighted in blue. The right pane shows a 'CODE S' summary with a vertical bar chart and labels for 'Cavaco_NY_2009', 'Agriculture PAC', 'unity', 'identity', and 'Cavaco_NY_2014'. A red box labeled 'Editor dei Dati' points to the text in the middle pane. At the bottom, a status bar shows 'SG 165 Items Files: 2 References: 2 Unfiltered' and a zoom slider set to 100%.

Prova_Selena7) (2).nvp

Quick Access

Data

- Files
- File Classifications
- Externals

ORGANIZE

Coding

- Codes
- Sentiment
- Relationships
- Relationship Types

Cases

- Cases
- Case Classifications

Notes

- Memos
- Framework Matrices
- Annotations
- See-Also Links

Sets

EXPLORE

Queries

- Query Criteria
- Query Results

File Home Import Create Explore Share Modules Code

Memo Link See-Also Link Content Quick Coding Layout Annotations See-Also Links Relationships Coding Stripes Highlight Code Uncode From This Code Spread Coding Code In Vivo Autocode Uncode New Annotation Word Cloud Compare With Explore Diagram Query This Code Find Code

Search Project

Codes

Name	Files	References
Appeal against antisys	21	27
Policy issues	144	3154
Domestic issues	138	1893
Agriculture	2	2
Culture	31	48
digitalizatio	8	8
disabilities	13	13
Economy an	104	399
Education	52	81
Elderly	29	38
Environmen	51	89
Family, child	70	190
Health	43	62
Institutional	26	49
Justice	20	28
Labour	85	225
Local Gover	33	45
Migration	49	88
policy refor	32	48
Public Admi	13	14
Scientific Re	55	77
Security and	84	164
territorial pe	25	42
Tourism	4	4
Welfare, Soc	72	141
Women and	29	38

<Files\\NY-CH Speeches\\Cavaco_NY_2009> - \$ 1 reference coded [6,62% Coverage]

Reference 1 - 6,62% Coverage

Os agricultores, aqueles que trabalham a terra, que enfrentam a subida do preço dos adubos, das rações e de outros factores de produção.

Sentem-se penalizados face aos outros agricultores europeus por não beneficiarem da totalidade dos apoios disponibilizados pela União Europeia.

O mundo rural faz parte das raízes da nossa identidade colectiva. A sua preservação é fundamental para travar o despovoamento do interior e para garantir a coesão territorial do País.

<Files\\NY-CH Speeches\\Cavaco_NY_2014> - \$ 1 reference coded [0,82% Coverage]

Reference 1 - 0,82% Coverage

Na agricultura têm surgido exemplos notáveis de dinamismo que importa estimular.

CODE S

Summary Reference Text

Coding Density

Cavaco_NY_2009

Agriculture PAC

unity

identity

Cavaco_NY_2014

In Codes

Code to Enter code name (CTRL+Q)

SG 165 Items Files: 2 References: 2 Unfiltered

100%

Editor dei Dati

I concetti chiave

- **Files**: Le sorgenti sono i materiali di ricerca (documenti word, PDF, set di dati, audio, video, immagini, tweet, ecc).
- **Codes** : I codici sono contenitori per le categorie i che permettono di raccogliere il materiale in un unico luogo in modo da guardare i modelli emergenti e favorire l'elaborazione di idee, ipotesi ed interpretazioni. I codici possono essere conservati senza organizzazione come codici liberi, oppure organizzati gerarchicamente, in *Trees o Parent-codes* (macronodi o codici genitori)
- **Queries**: permette di interrogare i dati e codificare automaticamente le fonti in base alle parole o frasi con una maggiore frequenza. Le interrogazioni possono essere di vario tipo: testuali (*Text Search*), frequenze di parole (*Word Frequency*), codici (*Coding*), Matrici tra codici e casi (*Matrix*).

Approcci alla codifica

- Il tipo di codifica dipende dalla metodologia e dal disegno di ricerca ma per iniziare è possibile:
- Organizzare il materiale in **grandi aree tematiche** (è possibile utilizzare le *query* di ricerca del testo per aiutarci), poi esplorare il codice per ogni argomento e **fare codifiche più dettagliate**. Ad esempio, raccogliere tutti i contenuti dell'area tematica "politiche domestiche" e poi esplorare i codici alla ricerca di percezioni interessanti, contraddizioni o ipotesi.
- In alternativa, si potrebbe direttamente **creare prima i codici** (in base alle esigenze) e poi, più tardi, combinarli e raggrupparli in categorie correlate. →

Come si riflette su un contenuto?

- **Codifica per *Topics*:** Qual è l'argomento in discussione? Ad esempio, le politiche pubbliche e i valori menzionati dai presidenti.
- **Codifica Analitica:** Qual è veramente il contenuto? Perché è interessante?
- **Codifica descrittiva:** Chi parla? Che ruolo, organizzazione o funzione viene osservata?

Approcci alla codifica: ex ante

- **Aggiungere i codici prima di iniziare la codifica** Se già si conoscono le tematiche di interesse e che si stanno ricercando (in base alla letteratura, per esempio), è possibile creare e organizzare i codici prima di iniziare la codifica:
 - 1. Nella barra di navigazione, fare clic su **Create code**
 - 2. Immettere un **nome** e una **descrizione** al codice
 - 3. Fare clic su OK e il nuovo codice verrà aggiunto alla lista.
 - 4. È anche possibile aggiungere **Sotto-codici** e creare una gerarchia ad albero di codici primari (parent-codes) e secondari (child-codes).

Approcci alla codifica: ex post

- È possibile codificare le parti del testo di interesse e creare nuovi codici nel modo seguente:
- 1. Selezionare il contenuto che si desidera codificare.
- 2. Cliccare su **Create Code** oppure con il tasto destro «**Code Selection**»
- 3. Trascinare il contenuto selezionato all'interno del codice.
- 4. Per annullare una codifica utilizzare la funzione **Unicode**

NVIVO

Biden's sp...

Quick Access

IMPORT

Data

- Files
- File Classifications
- Externals

ORGANIZE

Coding

- Codes
- Sentiment
- Relationships
- Relationship Types

Cases

- Cases
- Case Classifications

Notes

- Memos
- Framework Matrices
- Annotations
- See-Also Links

Sets

EXPLORE

Queries

- Query Criteria

FileHomeImportCreateExploreShareModulesDocument

Files

Search Project

Name	Codes	References
Biden_13_10_2022	20	63
Biden_15_09_2022	27	144
Biden_13_09_2022	36	136
Biden_14_09_2022	37	166
Biden_21_09_2022	37	191
Biden_05_11_2022	36	214
Biden_04_11_2022	32	217
Biden_28_10_2022	30	225
Biden_22_09_2022	41	228
Biden_14_10_2022	37	266
Biden_06_10_2022_1	38	290
Biden_8_9_2022	43	294
Biden_03_11_2022	32	308
Biden_24_10_2022	37	326
Biden_23_09_2022	37	331

Biden_06_10_2022_1

EditCode Panel

THE PRESIDENT: Please, sit down. Well, I want to thank the Governor and Tammy.

This is the second time they had me back. And, you know, sometimes people make a mistake and ask you once, and, you know, you can't be blamed for it. When they ask you back, that — that gets tough for them. But thank you very much.

And thank all of you for the help. Look, there is an election coming up. And as the Governor really is a lot at stake.

Democrats are running uphill because of the fact an incumbent President on the off-year

er, it looks like we'll — again, I don't count the date we not only will hold but maybe pick up a s the old saying goes.

ave that many seats to have to defend — I a lot of gerrymandering in the House across cratic governors.

CODE STR

Coding Density

- Biden
- Policies
- Republicans
- Economy

• Biden_06_10_2022_1

• Us and Them Rhetoric

• Values

• Democrats

New Code

General

Name

Description

Nickname

Hierarchical name

Codes\

Aggregate coding from children

Color

None

OK

Cancel

In

SG 15 Items Codes: 38 References: 290 Read-Only Line: 14 Column: 0

100%

9°C

Soleggiato

Cerca

12:13

04/04/2023

Quick Access

IMPORT

Data

Files

File Classifications

Externals

ORGANIZE

Coding

Codes

Sentiment

Relationships

Relationship Types

Cases

Cases

Case Classifications

Notes

Memos

Framework Matrices

Annotations

See-Also Links

Sets

EXPLORE


Queries

Query Criteria

Files

Name	Codes	References
Biden_13_10_2022	20	63
Biden_15_09_2022	27	144
Biden_13_09_2022	36	156
Biden_14_09_2022	37	166
Biden_21_09_2022	37	191
Biden_05_11_2022	36	214
Biden_04_11_2022	32	217
Biden_28_10_2022	30	225
Biden_22_09_2022	41	228
Biden_14_10_2022	37	266
Biden_06_10_2022_1	38	290
Biden_8_9_2022	43	294
Biden_03_11_2022	32	308
Biden_24_10_2022	37	326
Biden_23_09_2022	37	331

Biden_06_10_2022_1



Red Bank, New Jersey

4:34 P.M. EDT

THE PRESIDENT: Please, sit down. Well, I want to thank the Governor and

This is the second time they had me back. And, you know, sometimes people make a mistake and ask you once, and, you know, you can't be blamed for it. When they ask you back, that — that gets tough for them. But thank you very much.

And thank all of you for the help. Look, there is a — there's an election coming up. And as the Gov said — he listed all the folks up. But, you know, there really is a lot at stake.

And, you know, it's on — based on statistics, the Democrats are running uphill because of the fact that, with only a couple exceptions, the first term of an incumbent President on the off-year election has been not a good deal most times.

But so far, we look like we're doing pretty well. So far, it looks like we'll — again, I don't count the polls at — this early, but so far, it looks like in the Senate we not only will hold but maybe pick up a couple seats. "God willing and the crick not rising," as the old saying goes.

And secondly, the House is — we have — we don't have that many seats to have to defend — I mean relative to where we are, but — but, you know, a lot of gerrymandering in the House across the country, because a lot of governors aren't Democratic governors.

- Code Selection
- Code to Recent Codes
- Code In Vivo
- Uncode
- Uncode from Recent Codes

Uncode

Remove coding from selected content or files, or from intersecting coding across the whole project.

In Codes

Code to Enter code name (CTRL+Q)

SG 15 Items Codes: 38 References: 290 Read-Only Line: 14 Column: 0

100%

Visualizza
zione dei
codici

I codici individuati
dall'analisi dei
discorsi dei
presidenti

Le **files** sono le
fonti (i discorsi dei
presidenti)
associati

I **references** sono
i riferimenti nelle
parti di discorso di
quel codice

NVIVO

Biden's sp...

Quick Access

IMPORT

Data

- Files
- File Classifications
- Externals

ORGANIZE

Coding

- Codes**
- Sentiment
- Relationships
- Relationship Types

Cases

- Cases
- Case Classifications

Notes

- Memos
- Framework Matrices
- Annotations
- See-Also Links

Sets

EXPLORE

Queries

- Query Criteria

File Home Import Create Explore Share Modules

Codes

Search Project

Name	Files	References	Created on	Created by	Modified on	Modified by
Celebration	2	2	02/11/2022 14:57	SG	05/11/2022 15:11	SG
Disvalues	10	47	02/11/2022 16:10	SG	02/11/2022 16:13	SG
Pieces of legislation quoted	14	82	02/11/2022 16:12	SG	02/11/2022 16:13	SG
Policies	15	783	02/11/2022 16:04	SG	02/11/2022 16:05	SG
Abortion	13	42	02/11/2022 15:41	SG	06/11/2022 17:00	SG
Economy	14	157	02/11/2022 15:12	SG	06/11/2022 16:48	SG
Education	10	34	02/11/2022 15:53	SG	06/11/2022 16:46	SG
energy	13	33	02/11/2022 15:40	SG	06/11/2022 16:49	SG
Environment	13	37	02/11/2022 15:00	SG	06/11/2022 16:43	SG
gender and sexuality	9	16	02/11/2022 15:44	SG	04/11/2022 15:17	SG
Health	15	173	02/11/2022 15:13	SG	06/11/2022 16:56	SG
Infrastructure	12	33	02/11/2022 15:16	SG	06/11/2022 15:48	SG
International relations	11	46	02/11/2022 14:57	SG	06/11/2022 16:21	SG
Labour	12	39	02/11/2022 15:11	SG	06/11/2022 16:40	SG
research and develop	7	25	02/11/2022 16:57	SG	04/11/2022 15:22	SG
security	14	61	02/11/2022 14:59	SG	06/11/2022 16:57	SG
Welfare and social sec	15	87	02/11/2022 14:59	SG	06/11/2022 16:56	SG
Slogans	12	61	02/11/2022 14:58	SG	04/11/2022 22:02	SG
taxes	11	49	02/11/2022 15:35	SG	06/11/2022 16:49	SG
Us and Them Rethoric	15	491	02/11/2022 16:12	SG	02/11/2022 16:13	SG
Values	15	157	02/11/2022 16:09	SG	02/11/2022 16:13	SG
war in Ukraine	9	13	02/11/2022 15:28	SG	06/11/2022 16:45	SG
young	7	11	02/11/2022 17:17	SG	06/11/2022 17:04	SG

SG 55 Items

Visualizzazione dei codici

Con il comando **View All Stripes/** è possibile visualizzare da un lato i discorsi dei presidenti, dall'altra i codici che sono stati associati al testo.

The screenshot displays the NVIVO software interface. The left sidebar contains a navigation menu with sections: Quick Access, IMPORT (Data, Files, File Classifications, Externals), ORGANIZE (Coding, Cases, Notes, Sets), and EXPLORE (Queries). The main window shows a document titled 'Biden_06_10_2022_1' with text content. On the right, a 'CODE STRIPES' visualization is shown, which is circled in red. This visualization displays a list of codes (e.g., Research and development, Infrastructure, Pieces of legislation quoted, Abortion, Education, Environment, Health, Economy, Republicans, Policies, Biden, Biden_06_10_2022_1, Coding Density) and their corresponding stripes (colored bars) across the document text. The bottom status bar indicates 'SG 15 Items Codes: 38 References: 290 Read-Only Line: 23 Column: 50'.

Il coding scheme

- Utilizziamo la funzione Memo
- Per registrare in Nvivo la creazione passo dopo passo del nostro schema di codifica
- Ad ogni codice attribuiamo una definizione chiara e univoca e utilizziamo degli esempi

Prova_Sel... (2).nvp

Quick Access

IMPORT

Data

Files

File Classifications

Externals

ORGANIZE

Coding

Codes

Sentiment

Relationships

Relationship Types

Cases

Cases

Case Classifications

President

Notes

Memos

Framework Matrices

Annotations

See-Also Links

Sets

EXPLORE

Queries

Search Project

Memos

Name	Codes	References
Athisaari	0	0
Cavaco	0	0
Coding Scheme	0	0
Final coding scheme	0	0
Fischer	0	0
Halonen	0	0
Herzog	0	0
Klestil	0	0
Koehler	0	0
Napolitano	0	0
Rau	0	0
Sampaio	0	0
van der Bellen	0	0
Wulff	0	0

In Codes Code to Enter code name (CTRL+Q)

SG 14 Items Codes: 0 References: 0 Read-Only Line: 22 Column: 0

Environment Coding Scheme Final coding scheme

Edit Code Panel

16/03/2022: FINAL CODING SCHEME

The main coded themes have been identified *ex ante* by relying on literature or on previous research, whereas specific items have been inductively identified during the coding phase.

The coding scheme is organized in 10 parent-codes identified *ex ante* :
Disvalues (with 13 child-codes); Domestic Issue (23 childcodes); European Issues (13 childcodes); Foreign Policy Issues (20 childcodes; "relation with specific country" comprise other 28 childcodes) ; Values (that comprise 3 sub groups: moral values (9 childcodes); political values (17 childcodes) and social values (6 childcodes) for a total of 32 childcodes) ; State-Nation Building process (7 childcodes, but "preserving historical memories" is splitted in 4 other childcodes) ; Inter-executive relations (7 childcodes) ; Role of the President (only 1 childcode when there is a reference to previous presidents) and Appeal to political leaders (no childcodes); Appeal against antisystem attacks (no child codes).

DISVALUES

- 1) **corruption** and white-collar crimes. A topic developed by Fischer, Athisaari, Napolitano, Mattarella, Sampaio e Sousa
- 2) **denial of dialogue** is related to increasing confrontational tones in politics and at societal level. Clash of civilizations. This is a topic especially developed by Niinisto
- 3) **distrust towards EU** is here conceived as public distrust toward EU but even deep criticism on EU functioning in general or in certain areas. Especially Niinisto criticizes the EU for its lacking CFSP and its weak role in global-power relations. Maybe I can modify the label in *Criticism & Distrust towards EU*.
- 4) **distrust toward politics and citizen disengagement** and especially the idea of an increasing gap and distance between citizens and politics. The idea that citizens are no more interested in politics and in contributing in the development of society. This is especially a concern of Klestil and Athissari. Ex "Tensions and conflicts that have affected citizens' trust in our institutions and, in particular, in the political class" (Cavaco 2015). Most used by Cavaco, Napolitano and Fischer.
- 5) **egoism and individualism** refer to both individualism in general terms and egoism of Nation States.
- 6) **inequality** both in general terms that as economic or even gender inequality. It is especially a concern of Portuguese, Italian presidents.
- 7) **nationalism and assimilation** is seen as a disvalue especially by Austrian presidents whereas is

11:57 04/04/2023

PRONTI A PARTIRE?

- CREIAMO UN NUOVO PROGETTO
- PARTIAMO DALLE NOSTRE FONTI E IMPORTIAMO I DATI
- INIZIAMO A DISCUTERE SULLO SCHEMA DI CODIFICA
- AIUTIAMOCI CON WC E FREQUENZE
- CODICI EX ANTE
- CODICI EX POST

Recent Projects

-  Biden's speeches
 C:\Users\selen\OneDrive\Documenti\Biden's...
-  Presidents' NY speeches
 C:\Users\selen\OneDrive\Documenti\Prova_Selena...
-  Pd manifesti
 C:\Users\selen\OneDrive\Desktop\PD_Gruppo B.nvp
-  Pd manifesti
 C:\Users\selen\OneDrive\Documenti\Pd manifesti.nvp
-  Local Government Sample Project
 C:\Users\selen\OneDrive\Documenti\Automated...

 Open Other Project





 Collaboration Cloud

 Application Options

 About NVivo

FILE

— ☰ ✕



Account

To view your account information and access account features, please log in below.

Getting Started

For a quick overview of NVivo click the tutorial below...

Learn & Connect

 Customer Hub
All you need to succeed with NVivo.

 NVivo Community
to connect and learn with fellow archers.

 NVivo Academy
the NVivo training.

 Transcription
transcription credit for new users.

 Test a feature
test and vote for new NVivo res.



NEW PROJECT - STEP 1 of 2

 Projects created in this version of NVivo cannot be opened in any version prior to release 1.6.

Project title

File name

Description

☐ Keep a log of user actions

For text analysis of your data, select the text content language that (most of) your data files will be.

Text content language

Cancel

Next

FileHomeImportCreateExploreShareModules

Prova_Sel... (2).nvp

Quick Access

IMPORT

Data

Files

File Classifications

Externals

ORGANIZE

Coding

Codes

Sentiment

Relationships

Relationship Types

Cases

Cases

Case Classifications

Notes

Memos

Framework Matrices

Annotations

See-Also Links

Sets

EXPLORE

Queries

Query Criteria

Files

Search Project

Files

All the data files you import into the project are stored in the Files folder. You can create new documents here as well.

Optionally create

- To import
- drag and d
- For files th
- tab.

[more]

Close

Import Files

Desktop

Cerca in Desktop

Organizza

Nuova cartella

Gender

Libro Primarie

Laboratorio_Mac

didattica

Questo PC

Local Disk (C:)

Rete

Kaccorte

Rete

Manuale online Canon TR4500 series

Collegamento Internet

Bolgrimpap Book chapters

Rassegna stampa

Nome file:

Supported Files (*.doc; *.docx; *.

Apri

Annulla

8°C

Soleggiato

Cerca

ITA

11:39

04/04/2023

WC degli articoli di Domani

A word cloud visualization of terms from Domani articles. The words are arranged in a roughly circular shape, with some words in a larger, bold, orange font. The words include:

- regionalismo
- avrebbe
- stampa
- devono
- quotidiano
- editoriali
- quelle
- tutte
- materie
- cedibile
- feltri
- quello
- riproduzione
- lombardia
- differenziata
- solo
- questa
- datastampa
- tiratura
- anni
- domani
- articolo
- pro
- stato
- centro
- resp
- poi
- già
- anche
- parte
- oltre
- essere
- regionali
- più
- della
- può
- logica
- esclusivo
- lea
- questo
- regioni
- per
- nord
- nel
- altri
- foglio
- chi
- gli
- delle
- che
- non
- cui
- 50000
- pag
- livelli
- 1623
- lep
- alle
- sta
- con
- del
- dei
- una
- meloni
- nella
- data
- sul
- 2023
- sud
- diffusione
- dalla
- alla
- sono
- come
- paese
- hanno
- fatto
- riservata
- lettori
- nazionale
- regionale
- sanità
- dir
- loro
- dai
- nelle
- stefano
- equità
- differenziato
- cliente
- diseguaglianza
- www
- riceve
- governo
- richieste
- superficie
- l'autonomia
- competenze
- frammentazione

Quick Access

IMPORT

Data

Files

File Classifications

Externals

ORGANIZE

Coding

Codes

Sentiment

Relationships

Relationship Types

Cases

Cases

Case Classifications

Notes

Memos

Framework Matrices

Annotations

See-Also Links

Sets

EXPLORE

Queries

Query Criteria



Codes

Search Project

Name	Files	References	Created on	Created by	Modified on	Modified by
Appeal against antisystem attacks	21	27	04/08/2021 21:20	SG	21/03/2022 10:31	SG
Policy issues	144	3154	12/04/2022 11:15	SG	12/04/2022 11:16	SG
politics dim	119	412	12/04/2022 16:24	SG	12/04/2022 16:24	SG
Polity issues and values	144	2758	12/04/2022 16:09	SG	12/04/2022 16:17	SG

New Code

General

Name

Description

Nickname

Hierarchical name

Codes\\

☐ Aggregate coding from children

Color

None

OK Cancel

SG 165 Items

Per casa

- Prepariamo in un file excel con una tabella dove raccogliamo le caratteristiche dei principali articoli o dei principali quotidiani
- Testata (nome)
- Autori articoli (solo esperti; solo giornalisti, Mix)
- Posizione articoli (dominanza prima pagina, dominanza pagine interne)
- Direttore (nome)
- Proprietario (nome)
- Tendenza politica della testata (centro sx, centro dx, centro)
- Diffusione: (alta, media, bassa)

Esempio di classificazione dei casi

Testata	Autori	Taglio articoli	Direttore	Proprietario	Tendenza politica	Diffusione
Corriere della Sera						
Corriere del Mezzogiorno						
Domani						
Il Foglio						
Repubblica						
La Stampa						
Il Messaggero						